First Regular Session Seventy-fifth General Assembly STATE OF COLORADO

REENGROSSED

This Version Includes All Amendments Adopted in the House of Introduction HOUSE BILL 25-1077

LLS NO. 25-0162.01 Clare Haffner x6137

HOUSE SPONSORSHIP

Lieder and Ricks, Bird, Boesenecker, Brown, Duran, English, Espenoza, Hamrick, Jackson, Joseph, Lindstedt, Marshall, McCluskie, Paschal, Phillips, Sirota, Titone, Velasco

SENATE SPONSORSHIP

Roberts and Rich,

House Committees Business Affairs & Labor **Senate Committees**

A BILL FOR AN ACT

101	CONCERNING REQUIREMENTS FOR INDIVIDUALS WHO WORK ON
102	BACKFLOW PREVENTION DEVICES, AND, IN CONNECTION
103	THEREWITH, REMOVING THE LICENSURE REQUIREMENT FOR
104	INDIVIDUALS WHO INSPECT, TEST, OR REPAIR THE DEVICES.

Bill Summary

(Note: This summary applies to this bill as introduced and does not reflect any amendments that may be subsequently adopted. If this bill passes third reading in the house of introduction, a bill summary that applies to the reengrossed version of this bill will be available at <u>http://leg.colorado.gov/</u>.)

Water Resources and Agriculture Review Committee. Backflow is the reverse flow of water, fluid, or gas caused by back pressure or back siphonage. Under current law, individuals who are HOUSE 3rd Reading Unamended February 3, 2025

> Amended 2nd Reading January 30, 2025

HOUSE

engaged in the business of installing, removing, inspecting, testing, or repairing backflow prevention devices are subject to the licensure requirements for plumbers, except when the individuals are installing or testing a stand-alone fire suppression sprinkler system.

The bill exempts individuals engaged in the business of inspecting, testing, or repairing backflow prevention devices from licensure requirements but retains the licensure requirements for individuals engaged in the installation or removal of the devices.

- 1 Be it enacted by the General Assembly of the State of Colorado:
- 2 SECTION 1. In Colorado Revised Statutes, 12-155-118, amend
- 3 (4) as follows:
- 4 12-155-118. Exemptions. (4) Persons INDIVIDUALS who are 5 engaged in the business of installing, removing, inspecting, testing, and 6 OR repairing backflow prevention devices are not exempt from licensure 7 under this article 155. except when the persons are installing or testing a 8 stand-alone fire suppression sprinkler system INDIVIDUALS WHO ENGAGE 9 IN THE INSTALLATION OR REMOVAL OF BACKFLOW PREVENTION DEVICES 10 ARE NOT EXEMPT FROM LICENSURE UNDER THIS ARTICLE 155, EXCEPT 11 WHEN THE INDIVIDUALS ARE INSTALLING OR REPLACING A BACKFLOW 12 PREVENTION DEVICE ON A STAND-ALONE FIRE SUPPRESSION SYSTEM, AS 13 DEFINED IN SECTION 24-33.5-1202 (6). 14 SECTION 2. In Colorado Revised Statutes, add 12-155-126 as 15 follows: 12-155-126. Backflow prevention devices - requirements -16 17 service information provided to customer. (1) ON AND AFTER JULY 1, 18 2025, A LICENSED PLUMBER WHO INSTALLS, TESTS, INSPECTS, REPAIRS, OR 19 REINSTALLS A BACKFLOW PREVENTION DEVICE SHALL AFFIX A TAG ON THE 20 BACKFLOW PREVENTION DEVICE THAT CONTAINS THE FOLLOWING
- 21 INFORMATION:

1	(a) THE NAME AND CONTACT INFORMATION OF THE BUSINESS WITH
2	WHICH THE LICENSED PLUMBER IS AFFILIATED;
3	(b) The plumbing contractor's registration number, or the
4	LICENSE NUMBER OF THE MASTER PLUMBER ATTACHED TO THE
5	CONTRACTOR, ISSUED BY THE BOARD;
6	(c) THE DATE THE SERVICE WAS PROVIDED; AND
7	(d) A DESCRIPTION OF THE SERVICE PROVIDED.
8	(2) A LICENSED PLUMBER MAY DOCUMENT MULTIPLE SERVICES ON
9	ONE TAG.
10	SECTION 3. In Colorado Revised Statutes, add 25-8-107 as
11	follows:
12	25-8-107. Cross-connection control services - backflow
13	prevention devices - requirements - definitions. (1) NOTHING IN THIS
14	SECTION APPLIES TO OR AFFECTS ANY OTHER SECTION IN THIS ARTICLE 8 .
15	(2) NOTHING IN THIS SECTION REQUIRES THE DEPARTMENT OF
15 16	(2) NOTHING IN THIS SECTION REQUIRES THE DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT TO PERFORM INSPECTIONS.
16	PUBLIC HEALTH AND ENVIRONMENT TO PERFORM INSPECTIONS.
16 17	PUBLIC HEALTH AND ENVIRONMENT TO PERFORM INSPECTIONS. (3) NOTHING IN THIS SECTION REQUIRES THE COMMISSION OR THE
16 17 18	PUBLIC HEALTH AND ENVIRONMENT TO PERFORM INSPECTIONS. (3) NOTHING IN THIS SECTION REQUIRES THE COMMISSION OR THE DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT TO ENFORCE THIS
16 17 18 19	PUBLIC HEALTH AND ENVIRONMENT TO PERFORM INSPECTIONS. (3) NOTHING IN THIS SECTION REQUIRES THE COMMISSION OR THE DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT TO ENFORCE THIS SECTION.
16 17 18 19 20	 PUBLIC HEALTH AND ENVIRONMENT TO PERFORM INSPECTIONS. (3) NOTHING IN THIS SECTION REQUIRES THE COMMISSION OR THE DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT TO ENFORCE THIS SECTION. (4) (a) ON AND AFTER JULY 1, 2025, A CERTIFIED
16 17 18 19 20 21	PUBLIC HEALTH AND ENVIRONMENT TO PERFORM INSPECTIONS. (3) NOTHING IN THIS SECTION REQUIRES THE COMMISSION OR THE DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT TO ENFORCE THIS SECTION. (4) (a) ON AND AFTER JULY 1, 2025, A CERTIFIED CROSS-CONNECTION CONTROL TECHNICIAN OR A LICENSED PLUMBER WITH
16 17 18 19 20 21 22	PUBLIC HEALTH AND ENVIRONMENT TO PERFORM INSPECTIONS. (3) NOTHING IN THIS SECTION REQUIRES THE COMMISSION OR THE DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT TO ENFORCE THIS SECTION. (4) (a) ON AND AFTER JULY 1, 2025, A CERTIFIED CROSS-CONNECTION CONTROL TECHNICIAN OR A LICENSED PLUMBER WITH A CROSS-CONNECTION CONTROL TECHNICIAN CERTIFICATION WHO TESTS
16 17 18 19 20 21 22 23	PUBLIC HEALTH AND ENVIRONMENT TO PERFORM INSPECTIONS. (3) NOTHING IN THIS SECTION REQUIRES THE COMMISSION OR THE DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT TO ENFORCE THIS SECTION. (4) (a) ON AND AFTER JULY 1, 2025, A CERTIFIED CROSS-CONNECTION CONTROL TECHNICIAN OR A LICENSED PLUMBER WITH A CROSS-CONNECTION CONTROL TECHNICIAN CERTIFICATION WHO TESTS OR REPAIRS A BACKFLOW PREVENTION DEVICE SHALL AFFIX A TAG ON THE
16 17 18 19 20 21 22 23 24	PUBLIC HEALTH AND ENVIRONMENT TO PERFORM INSPECTIONS. (3) NOTHING IN THIS SECTION REQUIRES THE COMMISSION OR THE DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT TO ENFORCE THIS SECTION. (4) (a) ON AND AFTER JULY 1, 2025, A CERTIFIED CROSS-CONNECTION CONTROL TECHNICIAN OR A LICENSED PLUMBER WITH A CROSS-CONNECTION CONTROL TECHNICIAN CERTIFICATION WHO TESTS OR REPAIRS A BACKFLOW PREVENTION DEVICE SHALL AFFIX A TAG ON THE BACKFLOW PREVENTION DEVICE THAT CONTAINS THE FOLLOWING

1077

1 LICENSED PLUMBER WITH A CROSS-CONNECTION CONTROL TECHNICIAN

2 CERTIFICATION IS AFFILIATED;

3 (II) THE DATE THE SERVICE WAS PROVIDED;

4 (III) A DESCRIPTION OF THE SERVICE PROVIDED; AND

5 (IV) THE ASSE OR ABPA CERTIFICATION NUMBER OF THE 6 CERTIFIED CROSS-CONNECTION CONTROL TECHNICIAN OR THE LICENSED 7 PLUMBER WITH A CROSS-CONNECTION CONTROL TECHNICIAN 8 CERTIFICATION, ALONG WITH THE PLUMBING CONTRACTOR'S 9 REGISTRATION NUMBER OR THE LICENSE NUMBER OF THE MASTER 10 PLUMBER ATTACHED TO THE CONTRACTOR, ISSUED BY THE STATE 11 PLUMBING BOARD, IF APPLICABLE.

(b) A CERTIFIED CROSS-CONNECTION CONTROL TECHNICIAN OR A
 LICENSED PLUMBER WITH A CROSS-CONNECTION CONTROL TECHNICIAN
 CERTIFICATION MAY DOCUMENT MULTIPLE SERVICES ON ONE TAG.

15 (5) AS USED IN THIS SECTION, UNLESS THE CONTEXT OTHERWISE
16 REQUIRES:

17 (a) "ABPA" MEANS THE AMERICAN BACKFLOW PREVENTION
18 ASSOCIATION OR ITS SUCCESSOR ORGANIZATION.

(b) "ASSE" MEANS THE AMERICAN SOCIETY OF SANITARY
20 ENGINEERING OR ITS SUCCESSOR ORGANIZATION.

21 (c) "CERTIFIED CROSS-CONNECTION CONTROL TECHNICIAN" MEANS
22 AN INDIVIDUAL WHO POSSESSES A VALID BACKFLOW PREVENTION
23 ASSEMBLY TESTER CERTIFICATION FROM THE ASSE OR THE ABPA.

- (d) "LICENSED PLUMBER WITH A CROSS-CONNECTION CONTROL
 TECHNICIAN CERTIFICATION" MEANS AN INDIVIDUAL WHO IS A LICENSED
 PLUMBER AND POSSESSES A VALID BACKFLOW PREVENTION ASSEMBLY
- 27 TESTER CERTIFICATION FROM THE ASSE OR THE ABPA.

1 SECTION 4. Safety clause. The general assembly finds, 2 determines, and declares that this act is necessary for the immediate 3 preservation of the public peace, health, or safety or for appropriations for 4 the support and maintenance of the departments of the state and state 5 institutions.